

# IAPMO R&T OCEANA

1040 Dandenong Road, Carnegie, VIC 3163 AUSTRALIA



IAPMO R&T Oceana is a product certification body which inspects and arranges for the independent laboratory testing of samples taken from the manufacturer's stock or from the market or a combination of both, to verify compliance of the requirements of applicable Standards and Specifications. This activity is coupled with periodic surveillance of the certified product taken from the market place or the manufacturer's factory. This certification is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO R&T Oceana of the product acceptance by Authorities Having Jurisdiction.

## GASMARK CERTIFICATE

Appliance

*IAPMO R&T Oceana hereby grants to:*

**Escea Ltd**

17 Canforth Street, Green Island, Dunedin, 9018 New Zealand

*the right to use the GasMark in accordance with IAPMO Oceana Pty Ltd 'Mark Rules' on the product as described in the attached GasMark Schedule. The Certificate is granted subject to IAPMO Oceana Pty Ltd 'Governance Rules'.*

*Evaluated to:*

**AS/NZS 5263.1.3 "Gas space heating appliances"**

*Manufactured by:*

**Escea Ltd**

Certificate No.: GMK10442

Certified Date: 16 March 2017

Issue Date: 30 January 2018

Expiry Date: 15 March 2022

A handwritten signature in blue ink that reads 'Russ Chaney'.

Chief Executive Officer of the IAPMO Group

This GasMark certification is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO R&T Oceana, or any evidence of non-compliance with applicable Standards, Specifications or of inferior workmanship, may be deemed sufficient cause for revocation of this certification. Reproduction of or reference to this certificate for advertising purposes may be made only by specific written permission of IAPMO R&T Oceana. Any alteration of this certificate could be grounds for revocation of this certification.



# GASMARK SCHEDULE



<b>Certificate Holder:</b> Escea Ltd <b>Address:</b> 17 Canforth Street Green Island, Dunedin New Zealand 9018  <b>Manufacturer:</b> Escea Ltd	<b>Certificate No.:</b> GMK10442 <b>Issue Date:</b> 30-Jan-18 <b>Expiry Date:</b> 15-Mar-22 <b>First Certified:</b> 16-Mar-17 <b>Standard/s:</b> AS/NZS 5263.1.3:2016 Gas space heating appliances
---	---

Std/Spec: AS/NZS 5263.1.3:2016

Certificate No.: GMK10442

Distributor	Brand Name	Model ID	Product Description	Input	Gas Type	Flue	Annual Energy Consumption	Star Rating	Star Shading	Features
Glen Dimplex Australia Pty Ltd	Escea	DS1400	Room sealed flame effect heater	40MJ/h	NG	Remote power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1400	Room sealed flame effect heater	40MJ/h	Propane	Remote power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1400	Room sealed flame effect heater	37MJ/h	ULPG	Remote power flue	15958 MJ/Yr (HP) 16289 MJ/Yr (IVP)	5.0 (HP) 4.7 (IVP)	150 (HP) 142 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1400	Room sealed flame effect heater	40MJ/h	NG	Remote power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1400	Room sealed flame effect heater	40MJ/h	Propane	Remote power flue	17047 MJ/Yr (HP) 16511 MJ/Yr (IVP)	4.7 (HP) 5.1 (IVP)	140 (HP) 153 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1400	Room sealed flame effect heater	37MJ/h	ULPG	Remote power flue	15958 MJ/Yr (HP) 16289 MJ/Yr (IVP)	5.0 (HP) 4.7 (IVP)	150 (HP) 142 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1150	Room sealed flame effect heater	34MJ/h	NG	Remote power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1150	Room sealed flame effect heater	34MJ/h	Propane	Remote power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1150	Room sealed flame effect heater	34MJ/h	ULPG	Remote power flue	14876 MJ/Yr (IVP) 15298 MJ/Yr (HP)	4.4 (IVP) 4.0 (HP)	132 (IVP) 120 (HP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1150	Room sealed flame effect heater	34MJ/h	NG	Remote power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1150	Room sealed flame effect heater	34MJ/h	Propane	Remote power flue	14858 MJ/Yr (HP) 14964 MJ/Yr (IVP)	4.3 (HP) 4.2 (IVP)	130 (HP) 127 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1150	Room sealed flame effect heater	34MJ/h	ULPG	Remote power flue	14876 MJ/Yr (IVP) 15298 MJ/Yr (HP)	4.4 (IVP) 4.0 (HP)	132 (IVP) 120 (HP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1650	Room sealed flame effect heater	44MJ/h	NG	Remote power flue	18524 MJ/Yr (HP) 18338 MJ/Yr (IVP)	4.3 (HP) 4.4 (IVP)	129 (HP) 133 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1650	Room sealed flame effect heater	44MJ/h	Propane	Remote power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Glen Dimplex Australia Pty Ltd	Escea	DS1650	Room sealed flame effect heater	44MJ/h	ULPG	Remote power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1650	Room sealed flame effect heater	44MJ/h	NG	Remote power flue	18524 MJ/Yr (HP) 18338 MJ/Yr (IVP)	4.3 (HP) 4.4 (IVP)	129 (HP) 133 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue

Distributor	Brand Name	Model ID	Product Description	Input	Gas Type	Flue	Annual Energy Consumption	Star Rating	Star Shading	Features
Escea Australia Pty Ltd	Escea	DS1650	Room sealed flame effect heater	44MJ/h	Propane	Remote power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue
Escea Australia Pty Ltd	Escea	DS1650	Room sealed flame effect heater	44MJ/h	ULPG	Remote power flue	18322 MJ/Yr (HP) 17533 MJ/Yr (IVP)	4.3 (HP) 5.0 (IVP)	130 (HP) 149 (IVP)	Glass primary guard; fuelbed media: logs & flakes; coals; crystallite; crystallite & driftwood; woodland log; HP = Horizontal Powerflue; IVP = Internal Vertical Powerflue

Comments: Certification to AS/NZS 5263.1.3 is technically equivalent to AS 4553-2008 (Inc. Amendment 1)



Chief Executive Officer of the IAPMO Group